



Our Mission

To be the first choice supplier for our customer's millwork and finish products needs.

Our skilled employees, each with a desire to excel, will provide quality products at competitive prices and deliver superior service to build lasting relationships with customers and vendors.

Return Policy

Merchandise Returns Must Be Authorized By A Trimco Representative

- Special orders are not subject to return.
- Damaged items are not subject to return unless noted at time of delivery.
- Cut, painted or stained items are not subject to return.
- Stock items may be returned if request is made within 60 days of purchase.
- Return merchandise to be inspected upon return to Trimco Millwork before final credit can be issued.
- 15% restocking/handling fees on returns within 60 days of Stock items with no credit allowed for crating and/or freight charges.
- NO RETURNS ALLOWED AFTER 60 DAYS.



Contents

2–10
11–15
16–21
22–24
25–28
29
30–32
33


COVES



TM 85 9/16" x 1-3/4" SOLID PINE ONLY RL - 8'




TM 933/4" x 3/4"
SOLID PINE ONLY
RL - 8'



CONCAVE PROFILE: USED AT CORNERS, PARTICULARLY AS A CEILING CORNICE.

SMALL **COVES**MAY BE USED
AS AN INSIDE
CORNER GUARD.



QUARTER ROUNDS



TM 105 3/4" x 3/4" SOLID PINE ONLY RL - 8'




TM 108 1/2" x 1/2" SOLID PINE ONLY RL - 8'



TM 1093/8" x 3/8"
SOLID PINE ONLY
8' ONLY



TM 1101/4" x 1/4"
SOLID PINE ONLY
8' ONLY




Quarter Rounds May be used as a Base Shoe, Inside Corner Moulding, or to cover any 90° recessed juncture.

Full Rounds



TM 233 1-5/16" FJ 16' Only



FULL ROUNDS:Most often used as a closet pole or room divider.


BASE SHOES



TM 126 1/2" x 3/4" SOLID PINE RL - 8' FJ PRIMED 16' ONLY



TM 188 1-1/4" x 1-5/8" Solid Pine Only RL Only



BASE SHOES:
APPLIED WHERE BASE MOULDING
MEETS FLOOR. PROTECTS BASE FROM
DAMAGE. CONCEALS UNEVEN LINES OR
CRACKS WHERE BASE MEETS FLOOR.

SPECIFIED LENGTHS


SHELF EDGE/SCREEN MOULD



TM 137 3/8" x 3/4" Solid Pine Only RL - 8'




TM 142 1/4" x 3/4" SOLID PINE ONLY RL - 8'



SCREEN MOULD: COVERS SEAM WHERE SCREENING IS FASTENED TO THE SCREEN FRAME.

SHELF EDGE: ALSO COVERS PARTICLE OR FLAKEBOARD SHELF EDGES.





FJ PRIMED 16' Only


16' Only

16' Only

FJ RAW & FJ PRIMED 16' Only


FJ RAW & FJ PRIMED 16' Only


FJ RAW & FJ PRIMED 16' Only



length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

BEDS





BEDS: USED WHERE WALLS & CEILING MEET. EITHER SPRUNG OR PLAIN.

PICTURE MOULDING



TM 276 11/16" x 1-3/4" SOLID PINE ONLY RL ONLY

GLASS BEAD



TM 1483/8" x 3/8"
SOLID PINE ONLY
RL ONLY



TM CM3 9/16" x 3/4" SOLID PINE ONLY RL ONLY

BASE CAPS




TM 1655/8" x 1-1/8"
SOLID PINE ONLY
RL ONLY



TM 163 (PM 5) 11/16" x 1-3/8" SOLID PINE ONLY RL ONLY

BASE CAPS:
A DECORATIVE
MEMBER INSTALLED
FLUSH AGAINST
WALL AND THE
TOP OF AN S4S
BASEBOARD. ALSO
A VERSATILE PANEL
MOULDING.




CORNER GUARDS







CORNER GUARDS:
OUTSIDE (OS) CORNER
GUARD IS USED TO
PROTECT CORNERS OR
TO COVER RAGGED EDGE
WHERE WALL COVERING
AND PAINTED SURFACES
MEET AT OUTSIDE CORNER.



Fax: 303.371.0181

SPECIFIED LENGTHS

PANEL CAP

WAINSCOT/PLY CAP




TM 287 (PM 7) 11/16" x 1-5/16" SOLID PINE ONLY RL ONLY



TM 291 (PM 6) 3/4" x 1-15/16" SOLID PINE ONLY RL - 8'



TM 292 9/16" x 1-1/8" Solid Pine Only RL - 8'



PLY CAP: Turns out the upper edge or TOP OF A WAINSCOT. COVERS PLYWOOD'S ROUGH SANDWICH EDGE IN INSTALLATIONS WHERE IT IS EXPOSED TO VIEW. ALSO CALLED A DADO CAP.

LATTICE



TM 962 SOLID PINE ONLY RL Only

TM 265 9/32" x 1-3/4" SOLID PINE ONLY RL - 8'

TM 267 9/32" x 1-3/8" Solid Pine Only RL - 8'











LATTICE: ORIGINALLY USED IN TRELLIS WORK. THIS SMALL, PLAIN S4S MOULDING IS AMONG THE MOST VERSATILE OF PROFILES.

T-ASTRAGALS








T-ASTRAGALS: AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.


TM 1310 — 1-3/4" 1-1/4" x 2-1/4" Solid Pine Only 7' & 8' FJ 7' & 8'

TM 1315 — 1-3/8" 1-1/4" x 2" Solid Pine Only 7' & 8'

SPECIFIED LENGTHS

CHAIR RAIL





CHAIR RAIL: INTERIOR MOULDING APPLIED ABOUT ONE THIRD UP FROM THE FLOOR, PARALLELING BASE MOULDING AND ENCIRCLING THE ROOM. ORIGINALLY USED TO PREVENT CHAIRS FROM MARRING WALLS. USED TODAY AS A KEY DECORATIVE DETAIL IN TRADITIONAL AND COLONIAL DESIGN.

STOPS

TM 856 3/8" x 1-3/8" SOLID PINE RL - 7' FJ 7' & 17'



TM 876 7/16" x 1-3/8" SOLID PINE ONLY RL-7'




TM 886SOLID PINE 3/8" X 1-3/8" RL - 7'
FJ 3/8" X 1-3/8"
7' & 17'
FJ MITTERED 80-5/8"



TM 916
3/8" x 1-3/8"
SOLID PINE RL - 7'
FJ 7' - 17'
FJ MITERED 80-5/8" & 96-5/8"
FJ PRIMED & MITERED 80-5/8" ONLY






STOPS: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.


CHAMFER STRIP




TM 995 3/4" x 3/4" Solid White Wood RL

CHAMFER STRIP: USED IN HIGHWAY AND DAM CONSTRUCTION FORMS, MAKING A CHAMFERED EDGE AT CONCRETE CORNERS. ALSO USED WHERE KITCHEN CABINET TOPS MEET THE WALL. ALSO USED AS A LINOLEUM COVE (UNDER LINOLEUM WHERE IT EXTENDS UP THE WALL.)







BASE MOULDINGS



TM 444 11/16" x 3-1/2" Solid Pine RL Only FJ 16' ONLY FJ PRIMED 17' ONLY



TM 604 1/2" x 3-1/4" FJ PRIMED 16' ONLY



TM 618 9/16" x 5-1/4" SOLID PINE RL ONLY FJ 16' ONLY FJ PRIMED 16' ONLY

TM 623 9/16" x 3-1/4" SOLID PINE RL - 8' FJ & FJ PRIMED 16' ONLY

TM 620 9/16" x 4-1/4" FJ PRIMED 16' ONLY

TM 634 1/2" x 2-1/2" SOLID PINE RL & 8' FJ & FJ PRIMED 16' ONLY




TM 713 9/16" x 3-1/4" FJ Primed 16' Only FJ 16' ONLY SOLID PINE RL & 8'




TM 725 9/16 X 2-1/2" SOLID PINE RL




TM 822 9/16 x 3-1/4 FJ 16' ONLY FJ PRIMED







BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

TM 530 9/16" x 5-1/4" Solid Pine RL Only



TM 453 11/16" x 2-1/4"







BASE MOULDINGS



TM 444 7/16" x 3-1/4" RL Only





BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.



TM 623 7/16" x 3-1/4" RL & 8'

TM 634 3/8" x 2-3/4" RL Only



TM 683 7/16" x 3-1/4" RL Only



TM 713 7/16" x 3-1/4" RL - 8'

SHELF EDGE/SCREEN MOULD




TM 144 1/4" x 3/4" RL Only




1/4" x 3/4" x 8'


TM 137 3/8" x 3/4" RL Only




SCREEN MOULD: COVERS SEAM WHERE SCREENING IS FASTENED TO THE SCREEN FRAME.

SHELF EDGE: ALSO COVERS PARTICLE OR FLAKEBOARD SHELF EDGES.









OAK S4S BOARDS

1 x 2	S4S	3/4" x 1-3/4"	RL - 8'
1 x 3	S4S	3/4" x 2-1/2"	RL
1 x 4	S4S	3/4" x 3-1/2"	RL
1 x 6	S4S	3/4" x 5-1/2"	RL
1 x 8	S4S	3/4" x 7-1/4"	RL
1 x 10	S4S	3/4" x 9-1/4"	RL
1 x 12	S4S	3/4" x 11-1/4"	RL

FULL ROUNDS






TM 636 3/8" x 2-3/4" 14' Only **TM 444** 5/8" x 3-1/4" 14' Only 9/16" x 3-1/4" 14' ONLY


FAX: 303.371.0181

SPECIFIED LENGTHS


TM 515/8" x 3-1/4"
OAK & MAPLE
14' ONLY

BASE MOULDINGS





BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.



TM 620 1/2" x 4-1/4" 16' Only

9/16" x 5-1/4" 16' ONLY

TM 411 9/16" x 3-1/4" 16' Only

9/16" x 4-1/4" 16' Only

9/16" x 5" 16' Only


5/8 x 3-3/8" 17' Only

9/16" x 5-1/4" 16' Only


TM 623 1/2" x 3-1/4" 16' Only


TM 634 1/2" x 2-1/2" 16' ONLY





Phone: 303.371.8888





WINDOW STOOL

TM 1021 11/16" x 5-1/4" 16' Only

TM 1021 A 11/16" x 7-1/4" 16' Only

CHAIR RAIL



MDF S2S BOARDS (MEDIUM DENSITY FIBERBOARD)

16	IEN	Γ	TTTC
10	LEN	LT.	LHS


1 x 2	E2E	11/16" x 1-3/4"	PRIMED
1 x 3	E2E	11/16" x 2-3/4"	PRIMED
1 x 4	E2E	11/16" x 3-1/2"	PRIMED
1 x 5	E2E	11/16" x 4-5/8"	PRIMED
1 x 6	E2E	11/16" x 5-1/2"	PRIMED
1 x 7	E2E	11/16" x 6-1/4"	PRIMED
1 x 8	E2E	11/16" x 7-1/4"	PRIMED
1 x 10	E2E	11/16" x 9-1/4"	PRIMED
1 x 12	E2E	11/16" x 11-1/4"	PRIMED

16' LENGTHS

1 x 2	S4S	11/16" x 1-1/2"	Raw
1 x 2	S4S	11/16" x 1-3/4"	Raw
1 x 3	S4S	11/16" x 2-3/4"	Raw
1 x 4	S4S	11/16" x 3-1/2"	Raw
1 x 6	S4S	11/16" x 5-1/2"	Raw
1 x 8	S4S	11/16" x 7-1/4"	Raw
1 x 10	S4S	11/16" x 9-1/4"	Raw
1 x 12	S4S	11/16" x 11-1/4"	Raw

Eased Edge

S4S





BASE MOULDINGS



TM 623 9/16" x 3-1/4" RL ONLY

TM 618 9/16" x 5-1/4" RL Only





BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

TM 514 9/16" x 5-1/4" RL Only



TM 530 5/8" x 5-1/4" RL ONLY





TM 745 5/8" x 4-3/4" RL ONLY



TM 952 9/16" x 4-1/2" RL ONLY








T-ASTRAGALS: AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.







STOPS



STOPS: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.




TM 887 3/8" x 1-1/4" 7' & 108"




TM 916 3/8" x 1-1/4" 7' & 108"

24 PHONE: 303.371.8888

RL Only






Full Rounds




TM 233 1-5/16" 8' & RL




FULL ROUNDS:MOST OFTEN USED AS A CLOSET POLE OR ROOM DIVIDER.

Handrail




TM 231 1-1/2" x 1-11/16" 8' - RL

TM 1867 1-9/16" x 2" RL Only




HAND RAIL:USED AS A HAND SUPPORT IN A STAIRWELL.





TM 260 1-7/16" x 5-1/2" RL Only


BRICK MOULD TM 180 1-1/4" x 2" RL & 7' TM 126 1/2" x 3/4" RL ONLY



USED AS AN EXTERIOR DOOR AND WINDOW CASING. A THICK MOULDING PROVIDES A SURFACE FOR BRICK OR OTHER SIDING TO BUTT AGAINST.


BRICK MOULD:


BASE SHOES: APPLIED WHERE BASE MOULDING MEETS FLOOR, PROTECTS BASE FROM DAMAGE, CONCEALS UNEVEN LINES OR CRACKS WHERE BASE MEETS FLOOR,





TM 916 3/8" x 1-3/8" RL & 7'





STOPS: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS,

SQUARES




TM 236 1-7/16" x 1-7/16" RL & 48"





TM 237 1-1/4" x 1-1/4" 48" Only

CORNER BLOCKS BULLSEYE DESIGN AVAILABLE IN OAK, PINE, MDF * SIZES LISTED ON PRICE PAGES 3-3/4" WIGHT 2-1/2" WIGHT 3-1/2" WIGHT 4-1/2" WI

3/4" Radius Corners • These are just a few of the profiles we stock. We can match any moulding profile in the above woods.








3/4" RADIUS CORNERS						
PINE	PRIMED PINE	Немьоск	OAK	MDF		
346	346	346	356	346		
356	356	356	433	356		
412	414	430	444	411		
433	433	618	446	412		
444	444	623	618	430		
530	618	634	623	433		
618	620	711	634	444		
623	623	811	444	604		
634	634	852	623	608		
683	683		634	618		
711	684			620		
713	711			623		
725	713			634		
726	724			663		
811	726			683		
852	811			684		
952	852			711		
	952			745		
				811		
				852		
				952		

PROFILE DIMENSIONS ARE IN CATALOG PAGES

FLAT JAMBS




4-7/8" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE		X
PINE VENEER		X
FJ RAW	X	X
FJ PRIMED	X	
OAK VENEER LBR.	X	
KNOTTY ALDER	X	X
MDF PRIMED	X	

5-1/4" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE		X
FJ RAW	X	

6-5/8" FLAT JAMBS	82-1/4"	98-1/4"
SOLID PINE		X
PINE VENEER	X	
FJ RAW	X	X
HEMLOCK VENEER	X	
OAK VENEER LBR.	X	X
Knotty Alder	X	X

7-1/4" FLAT JAMBS	82-1/4"
FJ RAW	X
OAK VENEER LBR.	X

EXTERIOR FRAMES



4-5/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
SOLID PINE 1-3/4" RAB			X		
SOLID PINE KERFED 2-1/8" RAB				X	X
FJ RAW KERFED 2-1/8" RAB			X		
FJ RAW KERFED 2-1/8" RAB			X		
No Sill Dado					
FJ Primed Kerfed 2-1/8" Rab	X	X		X	X
HEMLOCK KERFED 2-1/8" RAB			X		X
OAK 1-3/4" RAB			X		
OAK KERFED 2-1/8" RAB			X		X
KNOTTY ALDER KERFED 2-1/8" RAB				X	X

4-7/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
FJ RAW 1-3/4" RAB			X		
FJ RAW KERFED 2-1/8" RAB			X		
FJ PRIMED KERFED 2-1/8" RAB				X	

EXTERIOR FRAMES

5-1/4" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
SOLID PINE 1-3/4" RAB				X	
SOLID PINE KERFED 2-1/8" RAB				X	
FJ RAW 1-3/4" RAB			X		
FJ RAW KERFED 2-1/8" RAB			X		
FJ Primed Kerfed 2-1/8" Rab				X	
Oak 1-3/4" Rab			X		
Oak Kerfed 2-1/8" Rab			X		

6-5/8" FIRE RATED FRAME	82-3/4"
FJ-FR PRIMED 2-1/8" RAB	X

SETS ONLY

6-5/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"	RL
SOLID PINE 1-3/4" RAB						X
SOLID PINE KERFED 2-1/8" RAB				X	X	
FJ RAW KERFED 2-1/8" RAB			X			
FJ RAW KERFED 2-1/8" RAB				X		
No Sill Dado						
FJ Primed Kerfed 2-1/8" Rab	X	X		X	X	
HEMLOCK KERFED 2-1/8" RAB			X		X	
Oak 1-3/4" Rab			X			
Oak Kerfed 2-1/8" Rab			X		X	
KNOTTY ALDER KERFED 2-1/8" RAB				X	X	

6-7/8" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"
FJ Primed Kerfed 2-1/8" Rab					X
KNOTTY ALDER KERFED 2-1/8" RAB				X	

7-1/4" EXTERIOR FRAME	81-11/16"	82"	82-1/2"	82-3/4"	98-3/4"	RL
SOLID PINE 1-3/4" RAB				X		
SOLID PINE KERFED 2-1/8" RAB					X	X
FJ RAW KERFED 2-1/8" RAB			X			
FJ Primed Kerfed 2-1/8" Rab				X		
HEMLOCK KERFED 2-1/8" RAB					X	

Shelving

RAW PARTICI	LE BOARD BNEF SI	HELVING		
ITEM NUMBER	Size	DESCRIPTION	BUNDLE QTY.	Unit Qty.
12"				
RPB1296	3/4" x 11-1/4" x 8'	BULL NOSE FILLED (BNEF)	1	80
RPB12120	3/4" x 11-1/4" x 10'	BULL NOSE FILLED (BNEF)	1	80
RPB12144	3/4" x 11-1/4" x 12'	BULL NOSE FILLED (BNEF)	1	80
16"				
RPB1696	3/4" x 15-1/4" x 8"	BULL NOSE FILLED (BNEF)	1	60
RPB16120	3/4" x 15-1/4" x 10"	BULL NOSE FILLED (BNEF)	1	60
RPB16144	3/4" x 15-1/4" x 12"	BULL NOSE FILLED (BNEF)	1	60
24"				
RPB2496	3/4" x 23-1/4" x 8'	BULL NOSE FILLED (BNEF)	1	40
RPB24144	3/4" x 23-1/4" x 12'	BULL NOSE FILLED (BNEF)	1	40

RAW MDF BU	LL NOSE SHELVIN	[G		
ITEM NUMBER	Size	DESCRIPTION	BUNDLE QTY.	Unit Qty.
12"				
401x1208BN	11/16" x 11-1/4" x 8'	RAW MDF BULL NOSE	1	80
401x1210BN	11/16" x 11-1/4" x 10'	RAW MDF BULL NOSE	1	80
401x1212BN	11/16" x 11-1/4" x 12'	RAW MDF BULL NOSE	1	80
16"				
401x1608BN	11/16" x 15-1/4" x 8"	RAW MDF BULL NOSE	1	60
401x1610BN	11/16" x 15-1/4" x 10"	RAW MDF BULL NOSE	1	60
401x1612BN	11/16" x 15-1/4" x 12"	RAW MDF BULL NOSE	1	60
24"				
401x2408BN	11/16" x 23-1/4" x 8'	RAW MDF BULL NOSE	1	40
401x2410BN	11/16" x 23-1/4" x 10'	RAW MDF BULL NOSE	1	40
401x2412BN	11/16" x 23-1/4" x 12'	RAW MDF BULL NOSE	1	40

RAW PARTICI	LE BOARD STAIR S	TEPPING		
ITEM NUMBER	Size	DESCRIPTION	BUNDLE QTY.	Unit Qty.
12"				
RPB12144STEP	1-1/8" x 11-1/4" x 12'	BULL NOSE STAIR STEPPING	1	52

SHELVING W	HITE MELAMINE			
ITEM NUMBER	Size	DESCRIPTION	BUNDLE QTY.	Unit Qty.
12"				
MBW1297	11/16" x 11-1/4" x 8'	WHTE MALAMINE SHELVING SQ EDGE	1	80
16"				
MBW1697	11/16" x 15-1/4" x 8'	WHTE MALAMINE SHELVING SQ EDGE	1	60

MDF SHEET STOCK

MDF SHEET S	тоск			
ITEM NUMBER	Size	DESCRIPTION	BUNDLE QTY.	Unit Qty.
MDF499714	1/4" x 4" 8'	MDF SHEET STOCK	1	96
MDF499712	1/2" x 4" 8'	MDF SHEET STOCK	1	48
MDF499734	3/4" x 4" 8'	MDF SHEET STOCK	1	32

Notes		
	-	

ľ	Z
ľ	٥
	4
	Ш
ľ	ŋ

Notes		
	-	

GRADE - Wood mouldings are available in two grades. "N Grade" is intended for natural or clear finishes and the exposed face must be of one single piece. "P Grade" is intended for opaque paint finishes or overlays and can be finger jointed and or edge glued.

These grades may have a few minor characteristics such as light checks, small pitch pockets, light torn grain, occasional medium stain or a small amount of medium pitch. A serious combination of these is not admissible in any one piece. The number and extent of characteristics permitted varies as the area of the piece increases or diminishes.

N-GRADE (suitable for natural, stain, paint, or enamel finish). On the basis of net 2" face-12' long this grade will admit the following characteristics or their equivalent:

- A. A small spot of torn grain, one foot of medium pitch, light skip in dressing on back, or
- B. One small and one very small pitch pocket, or
- C. One short, tight season check and a light snipe at one end, or
- D. Medium stain in occasional (10%) pieces for one third the area in an otherwise perfect piece.

Characteristics that will not show when piece is laid shall not be given the same consideration as characteristics elsewhere.

P-GRADE (paint or overlay grade)

The same quality as N-Grade except stain is no defect. Glue joints (laminated or finger joints) must be precision machined and assembled with tight joints. Patching, filling or plugging is permitted providing a paintable surface results.

LENGTHS

Random lengths shall be 3 to 20 feet in multiples of one foot. Not over 15% of any one item shall be under 8 feet. When computing the percentage of shorts in casing and stops, pieces 7' in length will be considered long lengths.

Specified lengths of cut to length window and door trim shall be graded as completely usable.

Finger and/or laminated jointed mouldings may be ordered in specified lengths with not over 15% trim backs permitted in any one item.

SPECIFIED LENGTHS

We reserve the option to charge a 25% premium on specified lengths of items normally sold on a random length basis. This policy applies mostly to Solid Pine, Oak and Hemlock mouldings.

ADHESIVES

Adhesives used in finger joints or laminations shall meet the dry used adhesive performance requirements of ASTM D-3110-82 (or latest revision) "Standard Specification for Adhesives Used in Non-Structural Glued Lumber Products."

In situations where a Wet-Use adhesive is required, it shall be so specified, acknowledged and invoiced.

BUNDLING shall be in accordance with the Standard Wood Moulding and Millwork Producers Association Schedule.

MANUFACTURING TOLERANCES

Thickness and width + or - 1/32"

DEFINITIONS

Definitions of characteristics permitted in wood mouldings shall be those of the National Grading Rules for softwood lumber.

SETTLEMENT PROVISIONS

In determining compliance with purchase specifications and of effecting settlement of invoices between buyers and sellers, each item of a shipment shall be considered as of the grade invoiced if upon re-inspection 95% thereof or more is found to be of said grade or better.

Green's The Thing

At Trimco Millwork, we're not just trying to conserve energy and reduce our own carbon footprint, we're taking green to the next level by offering the finest, environmentally responsible building materials available. We offer a wide range of products that are made from recycled materials or are recycleable, as well as products from manufacturers that support the green initiatives of the organizations you see on this page. We are constantly searching for and adding high quality, green products to our inventory.

Go Green

To make it easier for our customers to find greener building materials we have developed **Go Green**, a selection of products that are easier on the earth through their manufacture, performance or use. Our **Go Green** offerings can help you meet your green product requirements.

Building Green With Trimco

The products listed below are a sample of the **Go Green** products we offer at Trimco Millwork:

MOULDING

ULTRALITE BOARDS
PAC-FIT / CAN TRIM - MDF
KNOTTY ALDER
FERCHE - OAK
SIERRA PACIFIC - FRAMES

DOORS

THERMA TRU - DOORS

TYPAR



For more information about Go Green products contact us at



15000 East 39th Ave. Aurora, Colorado 80011 Phone: 303-371-8888

Toll Free: 1-800-574-4455

Fax: 303-371-0181



ATRINICO MILWORK

15000 East 39th Ave. Aurora, Colorado 80011

Phone: 303-371-8888

Toll Free: 1-800-574-4455

Fax: 303-371-0181